



# **Almond machine line**

10 Management Systems

—————**Zhengzhou Lerford Machinery Equipment Co.,ltd.**

# CONTENTS

01

## Product Introduction

- [Tpye](#)
- [Size](#)
- [\*\*workflow\*\*](#)
- [Requirements](#)
- [Production step](#)
- [Packing Way](#)

02

## Seven Management Systems

- [Supply System](#)
- [Production Control System](#)
- [Packing System](#)
- [Warehousing System](#)
- [Quality Control System](#)
- [Pre-shipment inspection System](#)
- [After-sale Service System](#)

03

## About Us

- [Our machines](#)
- [Workshop display](#)
- [Trade shows](#)
- [Registered Trademark](#)
- [Visiting Customers](#)
- [Customers Cooperation](#)
- [Our sales team](#)
- [Contact information](#)



# PART 01

## **Product Introduction**





# Raw materials



1



2



3



4



5



6



7



8

*annie@pelletmilling.com*

*annie@pelletmilling.com*



# type



Capacity:300-500kg/h



Capacity:1000-1200kg/h



Combined shell crusher





# Raw materials



Almonds



hazelnuts



palm



peach kernels



**Hazelnut**



**Palm kernel**




**Almond nut**






# workflow





# • Machine structure





# • Detailed Production Step: Bamboo Toothpick

**Step 1:** Green Almond peeling machine



**Step 2:** Green skin threshing



**Step 3:** Classifier machine



**Step 4:** almond and pistachio peeling machine





# • Require of machines


No.	Name	Pictures	raw materials	Final product	Description	Quantity(Set)	Total price(USD)
1	Green skin threshing				Production: 750-1000 kg/h Semi dried fruit Power 2.2 kW Voltage 380v 220V, selected frequency: 50Hz Size: 1.8 * 0.65 * 1.05 meters Net weight: 100kg	1	\$1,350
2	Green Almond peeling machine				Power:3kw capacity :1000kg/h Rotating speed::2800r/min weight:55kg Size:1000*1000*800mm	1	\$750
3	Classifier				Model: HAV-700 Voltage: 380/220v Power: 1.5 (kw) Capacity: 500~600kg/h Size: 2300X700X1350(mm) Weight: 240 (kg)	1	\$1,995
4	almond and pistachio peeling machine				Model:HAS-500 Voltage:380/220v Power:1.5 (kw) Capacity:500~600kg/h Size:1900X800X1250(mm) Weight:260 (kg)	1	\$1,760





# • Detailed Production Step


**Step 5:** Shell and kernel separator




**Step 6:** Nut and Bean wet Peeling Machine



**Step 7:** Almond slice machine















**Step 8:** Almond Slivering machine





# • Require of machines

No.	Name	Pictures	raw materials	Final product	Description	Quantity(Set)	Total price(USD)
6	Shell and kernel separator				Model:HAV-800 Voltage:380/220v Power:2.2 ( kw) Capacity: 500-600kg/h Size:2500X750X1500(mm)	1	\$1,795
8	Nut and Bean wet Peeling Machine				Model SFQPJ----100 Power 0.75kw/380v or 1.1KW/220v Peeling rate 92%----95% Capacity 100----150kg/h Broken rate 2----3% Size 1180×720×1100mm	1	\$3,050
11	Almond slice machine				Model :HDQP-600 Size:700*1250*900mm Slicing thickness :0.3-2mm Working speed :600r/min Weight :220kg Power :1.5kw Capacity: 500~600kg/h	1	\$2,690
12	Almond Slivering machine				Model; WSQT-200 Size; 1.3 * 0.75 * 1.3M Weight ;160kg Power; 0.75kw Capacity ;100kg/h	1	\$3,580







# • Shell breaking part drawing



Conveying + grading + Conveying + shelling + Conveying + separation



Conveying + grading + Conveying + shelling + separation + peeling





# • Workflow



1.raw materials



2.Shelled by shell breaker



3.After cracking, the shell and kernel are mixed



Sieve shells and kernel  
Separator separates shell and kernel

Clean almond shells



Clean almonds





# • Final product



By adjusting the gap between the 3-stage roller, almonds of different specifications can be processed at the same time. (A multi-purpose machine you can simultaneously handle almonds, hazelnuts, jujube)



Shelling efficiency  
Broken shell rate is high,  
broken rate is low  
Broken shell rate is 98%, almond  
broken rate is less 5%



By the vote hopper, hoist, one, two, three processing roller, at all levels of the material sieve body and the total shaker composition. The machine with the chain rotation, shaking the material





# • Frequently Asked Questions

Frequently Asked Questions About Almond Shellers

1. What is the raw material for this nutcracker?

It can crack almonds, apricots, walnuts, and other nuts.

2. Can the gap between the two rollers be adjusted?

Yes, it can.

3. Why do most nuts still have shells after processing?

The gap between the two rollers is not appropriate; the gap should be shortened.

4. Why are there so many broken nuts?

The gap between the two rollers is too small.

5. Can nuts be cracked twice in their shells?

If some smaller nuts still have shells after processing, adjust the roller gap and re-crack them.


6. What is the cracking rate?

The cracking rate is greater than 98%.



# • adjust the gap

## How to adjust the gap



Find the screw



Tighten by screw



**By adjusting the roller and chain  
the machine can process  
different sizes nut cores**




Observe the changes in the rollers and the size of the gap





- Deep processing

## Caramel almond production line






# 1.2. MADE IN CHINA Qualification






# 1.3. Patent Qualifications






## 2. Personnel Control System





### 3. Packing Options



After the machine test is completed, we will wrap the machine with plastic wrap to avoid scratches



Whole Container without wooden case packing



1set machine/package  
Wooden Case Packing






# 4. Warehousing System-Finished Products

- ❑ Stock customers machines order in clean and sunny warehouse




- ❑ Shipping by whole container without wooden case packing





## 5. Quality Control System



**Personnel**



**Equipment**



**Regulations**



## 5. Personnel



Tanzania Factory



India Factory

- 10 years of import and export experience
- Rich experience Equipment maintenance engineers
- Perfect staff training machine





## 7.2. After-Sale Service System

### 郑州润翔机械设备有限公司

ZHENGZHOU RUNXIANG MACHINERY EQUIPMENT CO.,LTD

润翔规字第【2024】1109号

#### 售后服务跟踪节点及注意事项

##### After-sales service policy

1. 收到客户定金或者全款之后，第一时间跟客户再次确认机器配置，电压赫兹，配件等基础需求，然后尽快发采购单给车间下单。

After receiving payment from customers, sales should reconfirm the basic requirements of the machine configuration, voltage hertz, accessories and other basic requirements as soon as possible, and then send a purchase order to the workshop as soon as possible in order to save time of customers.

2. 发货之前务必留存包装前后图片，再次确认发货清单是否与采购单相符，与客户的需求相符。

Make sure to keep the pictures before and after the packaging before shipping, and reconfirm whether the shipping list is consistent with the purchase order and the customer's needs.

3. 拿到提单之后尽快给客户准备清关需要的箱单发票以及其他客户可能需要的清关文件。

After receiving the bill of lading, prepare the packing list and invoice for customs clearance and other customs clearance documents that the customer may need as soon as possible.

4. 每隔一周两周一个月（根据航程决定）及时跟进货代查询客户货物的最新航线，并告知客户。

Every one week, two weeks and or one month (determined by the voyage), follow up the freight forwarder to check the latest route of the customer's cargo and inform the customer about the newest arrival time.

5. 货物到港前十天提醒客户带着清关资料找货代准备清关事宜。

Please remind customers to bring customs clearance information to the freight forwarder to prepare for customs clearance ten days before the arrival of the goods.

6. 及时联系客户跟进清关运输的最新进展，提醒客户检查包装是否完好，运输过程中注意保护包装，以免损伤到机器。

Please contact customers in time to follow up the latest progress of customs clearance and transportation, remind customers to check whether the packaging is in good condition, and protect the packaging during transportation to avoid damage to the machine.

7. 客户收到货物之后及时联系客户指导接电使用情况。

Must contact customers to guide the wire connection, using and precautions before and during operation.

8. 每隔一个月对客户做出售后跟踪，有任何售后问题及时上报解决，未按照要求解决售后问题的，根据情节严重性，按照公司规章制度进行警告，处罚，开除处理。


After sales follow up must be provided every month, and any after-sales problems are

### 郑州润翔机械设备有限公司

ZHENGZHOU RUNXIANG MACHINERY EQUIPMENT CO.,LTD

reported and resolved in time. If the after-sales problems are not resolved as required, according to the seriousness of the circumstances, sales will be warned, punished, and expelled in accordance with the company's rules and regulations.





## 7.3. Our Attitudes

I hope you could contact us in time no matter what the problem is, we will give you a feedback within 30 minutes.

Our goal is to continue to optimize our products for better services, and hope you could have better experiences here in long term cooperation.





# PART 03

## About US



# 1. Our Machine



Core advantages:

1. Efficient production
2. Cost advantage
3. Stable quality
4. Environmental protection and energy saving



## 2. Workshop Display



# 3.Trade Show



Nigeria & Uzbekistan Exhibition in 2024 year  
We will go to 2 countries for one year at least



# 5. Customers Visiting



**Nepal Customer**



**Congo Customer**



**Ivory Coast Customer**



# 5.1 Visiting Customers



**In Iraq**



**In France**



**In Egypt**



# 6.Sales Team





**THANK YOU  
FOR WATCHING**

——Zhengzhou Lerford Machinery Equipment Co.,Ltd.

2025/5/22

